


'ROSELEND'



SEMI-INDUSTRIAL FISHING TRAWLER - 35 m - 225 m³



Semi-industrial fishing trawler designed for bottom species fishing and fish conservation at 0°C

- 1 hold for 147 containers of 660 l
- 2 ice providers
- In-built stainless steel well in main deck
- Axial conveyor for garbage evacuation
- Fish washing machine
- 10 crew on board
- 12.5 knots

'ROSELEND'

SEMI-INDUSTRIAL FISHING TRAWLER - 35 m - 225 m³

MAIN CHARACTERISTICS

Length overall	35.3 m
Breadth	8.9 m
Depth on main deck	4.35 m
Fuel capacity	93 m ³
Fresh water capacity	15 m ³
Crew	10
Speed	12.5 kn
Tonnage	403 UMS
Hull / Superstructure	steel / aluminium

SPECIAL EQUIPMENT

Fishing equipment

Hydraulic winches	3 x 3000 m - Ø 24 mm - 22 t
Hydraulic reels	4 x 5.1 m ³
Gilson winches	3 x 70 m - Ø 24 mm - 9.4 t

Fish processing plant

Hold	1 x 0°C / 1°C for 147 x 660 l containers
Ice provider	2 - 2.5 t/d
In-built stainless steel well in main deck	
Conveyors driving to tween deck panels	3
Axial conveyor for garbage evacuation	1
Eviscerating machine	
Fish washing machine	

Cranes

Unloading crane	7 t.m
Aft gantry crane	
Electric winch	

CLASSIFICATION

Bureau Veritas
I_{3/3} (E)
Deep sea
Fishing vessel

MISCELLANEOUS EQUIPMENT

Fresh water production

Fresh water generator 7 t/d
UV sterilizer

Anchoring

Anchors 2 x 480 kg

PROPULSION / MACHINERY

Propulsion

Diesel engine 1 x 596 kW - 1000 rpm
Gearbox Ratio 4.986/1
Propeller 4 CPP blades Ø 2400 mm

Machinery

Genset 1 x 180 kVA - 1500 rpm
Driven generator 1 x 150 kVA - 1500 rpm